
SECTION I – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: **PremeClean™**
PRODUCT USE: Interior and Exterior Building Surface Preparation
PRODUCT DESCRIPTION: All Purpose, Non-Toxic, Biodegradable Industrial Cleaning Solution
Manufacturer: GLOBAL Encasement, Inc., 132 - 32nd St., Union City, NJ 07087 USA
Contact #s: Tel. # (201) 902-9770 / Fax (201) 902-9835
Emergency Contact #:(CHEMTRAC) Tel. # (800) 424-9300
Website Address: www.encasement.com

SECTION II – COMPONENT INFORMATION

Material or Component:	CAS No.:
Water	7732-18-5
Proprietary Ethoxalated Amine System	None

This product and its components are listed in or exempt from the TSCA inventory requirements. This information must be included in all MSDS's that are copied and distributed for this material. OSHA PEL or ACGIH TLV: This product contains no hazardous ingredients as per OSHA 29 CFR 1910.1200

SECTION III – HAZARDS IDENTIFICATION

HMIS HAZARD RATING: Health: 1 Flammability: 0 Reactivity: 0 HAZARD INDEX: 0= Minimal. 1= Slight. 2- Moderate. 3= Serious. 4= Severe
--

EXPOSURE LIMIT:	Not Established
TOXICITY DATA:	Not Established
CARCINOGENICITY:	None
PRIMARY ROUTE (S) OF EXPOSURE:	Inhalation, skin and eye contact

SECTION IV – FIRST AID INFORMATION

EMERGENCY FIRST AID PROCEDURES:

INHALATION: Remove subject to fresh air. If breathing is difficult, give oxygen or give artificial respiration if not breathing. Call a physician.

EYE CONTACT: Immediately flush eyes with running water for at least 15 minutes. Ensure complete flushing by holding the eyelids apart during irrigation. Call a physician for further instruction.

SKIN CONTACT: Immediately remove contaminated clothing. Wash affected area thoroughly with soap and water. Call a physician if irritation develops or persists.

INGESTION: Give 2-3 glasses of water or milk to drink at once. DO NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious subject.

SECTION V – FIRE AND EXPLOSION INFORMATION

FLASH POINT:	<200°F
FLAMMABILITY CLASSIFICATION:	Non-flammable
EXTINGUISHING MEDIA:	Dry chemical, carbon dioxide, water fog or foam.
UNUSUAL FIRE & EXPLOSION HAZARDS:	None

SPECIAL FIRE FIGHTING PROCEDURES: Use water spray to cool fire-exposed containers and structures. Fight fire with remote spray monitors or from behind shields. Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Do not breathe smoke or fumes.

SECTION VI – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Keep unnecessary people away. Stop any leakage, if possible without risk. Keep product out of sewers and watercourses by diking or impounding. Use sand or other absorbent to contain the spill, then scoop into a container for disposal.

WASTE DISPOSAL METHOD: Dispose of in accordance with federal, state, and local laws.

SECTION VII – HANDLING AND STORAGE INFORMATION

PRECAUTIONS TO BE TAKEN IN HANDLING: Keep containers tightly closed. Keep containers cool, dry and away from sources of ignition. Use and store this product with adequate ventilation. Do not pressurize, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks or other sources of ignition. EMPTY containers should be completely drained, properly bunged and promptly disposed.

SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION INFORMATION

VENTILATION: All application areas should be ventilated in accordance with OSHA regulation 29 CFR Part 1910.94. If local exhaust ventilation is not sufficient to maintain the employee exposure level as far below the OSHA limit as possible additional ventilation would be necessary.

PERSONAL PROTECTIVE EQUIPMENT: 1) chemical goggles or safety glasses. 2) Gloves. 3) A NIOSH/MSHA approved respirator as necessary for dust. 4) Protective clothing as necessary to prevent skin contact.

Avoid eye, skin and clothing contact. Keep hands away from face.

Avoid breathing dusts or mists.

Keep container closed when not in use.

Wash thoroughly after handling.

Store in dry, well-ventilated area.

Change clothing if exposed to heavy dusts or spillage; clothing should be laundered before reuse.

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Physical Form:	Liquid
Color:	Light Yellow
PH:	<9
Boiling Point:	212°F
Evaporation Rate:	Slower Than Ether
Melting Point:	N/A
Specific Gravity:	1.02
Vapor Density:	Heavier Than Air
Solubility in Water:	Complete

SECTION X – STABILITY AND REACTIVITY INFORMATION

CONDITIONS CONTRIBUTING TO INSTABILITY: None. Product is Stable.

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Burning can produce oxides of carbon and nitrogen, ammonia, and hydrocarbons.

CONDITIONS TO AVOID: Keep away from heat, sparks, pilot lights, static electricity, and open flame.

INCOMPATIBILITY: Strong oxidizing and reducing agents.

SECTION XI – TOXICOLOGICAL INFORMATION (will only print available data)

Carcinogenicity?: NO

Refer to section VII for proper handling.

No other toxicological information available.

SECTION XII – ECOLOGICAL INFORMATION

AQUATIC TOXICITY: Non-toxic

TERRESTRIAL TOXICITY: Non-toxic

No other ecological information available.

SECTION XIII – DISPOSAL INFORMATION

WASTE DISPOSAL METHOD: Disposal should be in accordance with Federal, State and local regulations. Refer to section xv for more information.

SECTION XIV – TRANSPORTATION INFORMATION

DOT CLASSIFICATION: Non-hazardous

UN NUMBER: None

SECTION XV – REGULATORY INFORMATION

SARA TITLE III, SECTION 313, SUPPLIER NOTIFICATION. This product contains the following toxic chemicals subject to the reporting requirements of the Emergency Planning and Community Right-To-Know Act of 1986 and of CFR 372: None

This product and its components are listed in or exempt from the TSCA inventory requirements.

SECTION XVI – OTHER INFORMATION

GLOBAL Encasement, Inc. warrants that the product or products described herein will conform with its published specifications. The products supplied by GLOBAL Encasement, Inc. and information related to them are intended for use by buyers having necessary industrial skill and knowledge. Buyers should undertake sufficient verification and testing to determine the suitability of GLOBAL Encasement, Inc. materials for their own particular purpose. Since buyer's conditions of use of product are beyond GLOBAL Encasement, Inc.'s control, GLOBAL Encasement, Inc. does not warrant any recommendations and information for the use of such products. GLOBAL Encasement, inc. disclaims all other warranties including the implied warranty of merchantability and fitness for any particular purpose in connection with the use of its products.

Information complies with New Jersey DOH Right-To-Know Labeling Law (N.J.A.C. 8:59 –5.1 & 5.2)
