
SECTION I – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NUMBER: **GLOBE CAULK™**
PRODUCT USE: Acrylic Caulking Compound
PRODUCT DESCRIPTION: 100% Acrylic Caulk, Water Base
Manufacturer: GLOBAL Encasement, Inc.
701 E. Santa Clara St., Ste 12, Ventura, CA 93001-5972
Contact #s: Tel. # (800) 266-3982 / Fax (800) 520-3291
Emergency Contact #s: (CHEMTREC) Tel.# (800) 424-9300
Website Address: www.encasement.com

SECTION II – COMPONENT INFORMATION

Material or Component: **CAS No.:**
Acrylic Polymer: Not Hazardous
Water: 7732-18-5
Titanium dioxide: 13463-67-7

OSHA PEL or ACGIH TLV: This product contains no hazardous ingredients as per OSHA 29 CFR 1910.1200

SECTION III – HAZARD IDENTIFICATION

| |
|--|
| HMIS HAZARD RATING: Health: 1 Flammability: 0 Reactivity: 0 HAZARD INDEX: 0= Minimal. 1= Slight. 2- Moderate. 3= Serious. 4= Severe |
|--|

EFFECTS OF OVER EXPOSURE:

Inhalation - Vapor or mist can cause irritation of the nose, throat and lungs.
Eye Exposure - Possibly slightly irritating to eyes with direct contact.
Skin exposure - Possible skin irritant with prolonged or repeated contact.

SECTION IV – FIRST AID INFORMATION

EMERGENCY FIRST AID PROCEDURES:

For inhalation, move subject to fresh air. For eye contact, flush with a large amount of water for at least 15 minutes. See a physician if irritation persists. Wash affected skin area with soap and water. If swallowed dilute by giving 2 glasses of water to drink. See a physician. Never give anything by mouth to an unconscious subject.

SECTION V – FIRE AND EXPLOSION INFORMATION

FLAMMABILITY CLASSIFICATION: DOT - Not Regulated
Flash Point - Non combustible
LEL - N/A
EXTINGUISHING MEDIA: N/A
UNUSUAL FIRE & EXPLOSION HAZARDS: None

SPECIAL FIRE FIGHTING PROCEDURES: For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus to protect against the hazardous effects of normal products of combustion or oxygen deficiency. Material can splatter above 100°F.

SECTION VI – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Keep spectators away. Floor may be slippery, use care to avoid falling. Scoop or shovel solid material into a suitable container for recovery or disposal. Keep spills and cleaning runoff out of municipal sewers or open bodies of water.

SECTION VII – HANDLING AND STORAGE INFORMATION

PRECAUTIONS TO BE TAKEN IN HANDLING: Do not take internally. Use approved clothing when using **GE-15 100% Acrylic Caulk**. Also, follow all applicable OSHA & EPA, (etc.) regulations concerning normal latex paint preparation and spraying activities.

PRECAUTIONS TO BE TAKEN IN STORING: KEEP MATERIAL FROM FREEZING, PRODUCT MAY COAGULATE. Keep tightly covered. Material may develop bacterial odor on long term storage if contaminated.

SECTION VIII – EXPOSURE CONTROLS / PERSONAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: Wear suitable respirator (MSHA/NOSH approved or the equivalent), where exposure limits are exceeded.

VENTILATION: Mechanical local exhaust ventilation at point of containment release.

PROTECTIVE GLOVES: Impervious gloves for prolonged or repeated contact.

EYE PROTECTION: Chemical splash goggles (ANSI 2-87.1) or approved equivalent.

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|---------------------------------|-------|-------------------|-----------------|
| Physical Form: | Paste | Odor: | Mild scent |
| Color: | White | Lbs/GAL: | 8.8 |
| Flash Point: | N/A | pH: | 7.5-8.5 |
| Specific Gravity (water = 1.0): | 1.06 | Viscosity (cps): | 275,000-325,000 |
| | | VOC, grams/liter: | 43 |

SECTION X – STABILITY AND REACTIVITY INFORMATION

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

HAZARDOUS DECOMPOSITION PRODUCTS: Will not occur

CONDITIONS TO AVOID: Keep from freezing

INCOMPATIBILITY: None reasonably foreseeable

SECTION XI – TOXICOLOGICAL INFORMATION

Carcinogenicity?: NO

Refer to section VII for proper handling.

No other toxicological information available.

SECTION XII – ECOLOGICAL INFORMATION

AQUATIC TOXICITY: Non-toxic

TERRESTRIAL TOXICITY: Non-toxic

No other ecological information available.

SECTION XIII – DISPOSAL INFORMATION

WASTE DISPOSAL METHOD: Disposal should be in accordance with Federal, State and local regulations for water base coatings.

SECTION XIV – TRANSPORTATION INFORMATION

DOT CLASSIFICATION: Non-hazardous
UN NUMBER: None

SECTION XV – REGULATORY INFORMATION

SARA TITLE III, SECTION 313, SUPPLIER NOTIFICATION. This product contains the following toxic chemicals subject to the reporting requirements of the Emergency Planning and Community Right-To-Know Act of 1986 and of CFR 372: None

SECTION XVI – OTHER INFORMATION

The information contained herein is to the best of our knowledge and belief has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control, we make no warranties, expressed or implied, except those that may be contained on our written contract of sale or acknowledgment.

Information complies with New Jersey DOH Right-To-Know Labeling Law (N.J.A.C. 8:59 –5.1 & 5.2)
