



GLOBAL Encasement, Inc.

MATERIAL SAFETY DATA SHEET

PremeClean™

SECTION I – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: **PremeClean™**
 PRODUCT USE: Interior and Exterior Building Surface Preparation
 PRODUCT DESCRIPTION: All Purpose, Non-Toxic, Biodegradable Industrial Cleaning Solution
 Manufacturer: GLOBAL Encasement, Inc.
 701 E. Santa Clara St., Ventura, CA 93001
 Contact #: Tel. # (800) 266-3982 / Fax (800) 520-3291
 Website Address: www.encasement.com

SECTION II – COMPONENT INFORMATION


Material or Component	CAS Number	% by Weight
Alcohols, Ethoxylated	68439-46-3	1-20

This product and its components are listed in or exempt from the TSCA inventory requirements. This information must be included in all MSDS's that are copied and distributed for this material.

OSHA PEL or ACGIH TLV: This product contains no hazardous ingredients as per OSHA 29 CFR 1910.1200

SECTION III – HAZARDS IDENTIFICATION

EXPOSURE LIMIT: Not Established
 TOXICITY DATA: Not Established
 CARCINOGENICITY: None
 PRIMARY ROUTE(S) OF EXPOSURE: Inhalation, skin and eye contact.



HAZARD INDEX: 0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Severe

SECTION IV – FIRST AID INFORMATION

EMERGENCY FIRST AID PROCEDURES: For inhalation, move subject to fresh air. If breathing is difficult, give oxygen or give artificial respiration if not breathing. For eye contact, immediately flush with a large amount of water for at least 15 minutes. Ensure complete flushing by holding the eyelids apart during irrigation. For skin contact, immediately remove contaminated clothing. Wash affected skin area with soap and water. If swallowed, dilute by giving 2-3 glasses of water to drink at once. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious subject. Call a physician immediately for further instruction.

SECTION V – FIRE AND EXPLOSION INFORMATION

FLAMMABILITY CLASSIFICATION: Non-flammable

Flash Point – >200°F

LEL - N/A

EXTINGUISHING MEDIA:

Use dry chemical, foam or carbon dioxide to extinguish fire.

UNUSUAL FIRE & EXPLOSION HAZARDS:

None

SPECIAL FIRE FIGHTING PROCEDURES: Use water spray to cool fire-exposed containers and structures. Fight fire with remote spray monitors or from behind shields. Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Do not breathe smoke or fumes.

SECTION VI – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Keep unnecessary people away. Stop any leakage, if possible without risk. Keep product out of sewers and watercourses by diking or impounding. Use sand or other absorbent to contain the spill, then scoop into a container for disposal.

WASTE DISPOSAL METHOD: Dispose of in accordance with federal, state, and local laws.

SECTION VII – HANDLING AND STORAGE INFORMATION

PRECAUTIONS TO BE TAKEN IN HANDLING: Keep containers tightly closed. Keep containers cool, dry and away from sources of ignition. Use and store this product with adequate ventilation. Do not pressurize, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks or other sources of ignition. Empty containers should be completely drained, properly bunged and promptly disposed.

SECTION VIII – EXPOSURE CONTROLS / PERSONAL PROTECTION INFORMATION

VENTILATION: All application areas should be ventilated in accordance with OSHA regulation 29 CFR Part 1910.94. If local exhaust ventilation is not sufficient to maintain the employee exposure level as far below the OSHA limit as possible additional ventilation would be necessary.

PERSONAL PROTECTIVE EQUIPMENT: 1) Chemical goggles or safety glasses. 2) Gloves. 3) A NIOSH/MSHA approved respirator as necessary for dust. 4) Protective clothing as necessary to prevent skin contact.

Avoid eye, skin and clothing contact. Keep hands away from face.

Avoid breathing dusts or mists.

Keep container closed when not in use.

Wash thoroughly after handling.

Store in dry, well-ventilated area.

Change clothing if exposed to heavy dusts or spillage; clothing should be laundered before reuse.

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Physical Form:	Liquid	Odor:	Fresh
Color:	Light blue	Lbs/Gal:	11.85
Flash Point:	>200°F	pH:	8.5-9.5
Specific Gravity (water = 1.0):	1.02	Viscosity (KU):	Not Determined
Boiling Point:	>212°F	Melting Point:	<32°F
Evaporation Rate:	<1.0	VOC:	Zero
Vapor Density:	>1	Solubility in Water:	Complete

SECTION X – STABILITY AND REACTIVITY INFORMATION

CHEMICAL STABILITY: Stable.

HAZARDOUS DECOMPOSITION PRODUCTS: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

CONDITIONS TO AVOID: Keep away from heat, sparks, pilot lights, static electricity, and open flame.

INCOMPATIBILITY: Strong oxidizing and reducing agents.

SECTION XI – TOXICOLOGICAL INFORMATION (will only print available data)

Carcinogenicity: No

Chronic Effects: No known significant effects or critical hazards.

No other toxicological information available.

SECTION XII – ECOLOGICAL INFORMATION

ECOTOXICITY:

Alcohols, ethoxylated Aquatic Toxicity: 96 hrs. LC50: Fathead minnow (*Pimephales Promelas*) – 8.5 mg/l EC50 *Daphnia*-5.3 mg/l, 48 hrs.

Persistence and Degradability, Bioaccumulative Potential, Mobility in Soil: Not available for components and mixtures in the products listed.

SECTION XIII – DISPOSAL INFORMATION

WASTE DISPOSAL METHOD: Waste disposal should be in accordance with existing federal, state and local environmental laws.

SECTION XIV – TRANSPORTATION INFORMATION

DOT CLASSIFICATION: Not regulated

UN NUMBER: Not applicable

SECTION XV – REGULATORY INFORMATION

SARA TITLE III, SECTION 313: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund and Reauthorization Act of 1986 and 40 CFR part 372:

Chemical Name	CAS Number
Alcohols, Ethoxylated	68439-46-3

SECTION XVI – OTHER INFORMATION

GLOBAL Encasement, Inc. warrants that the product or products described herein will conform with its published specifications. The products supplied by GLOBAL Encasement, Inc. and information related to them are intended for use by buyers having necessary industrial skill and knowledge. Buyers should undertake sufficient verification and testing to determine the suitability of GLOBAL Encasement, Inc. materials for their own particular purpose. Since buyer's conditions of use of product are beyond GLOBAL Encasement, Inc.'s control, GLOBAL Encasement, Inc. does not warrant any recommendations and information for the use of such products. GLOBAL Encasement, Inc. disclaims all other warranties including the implied warranty of merchantability and fitness for any particular purpose in connection with the use of its products.

Information complies with New Jersey DOH Right-To-Know Labeling Law (N.J.A.C. 8:59 –5.1 & 5.2)